



Matthew Rodriquez
Secretary for
Environmental Protection

Department of Toxic Substances Control

Barbara A. Lee, Director 5796 Corporate Avenue Cypress, California 90630



Edmund G. Brown Jr.
Governor

February 14, 2017

Mr. Robert Beers
Project Manager
Friends of the Riverside Airport, LLC
P.O. Box 3517
Jurupa Valley, California 92519

APPROVAL OF REQUEST FOR ABANDONEMENT OF GROUNDWATER MONITORING WELLS MW-6R AND MW-7R, RIVERSIDE AGRICULTURAL PARK, 7020 CREST AVENUE, RIVERSIDE CALIFORNIA

Dear Mr. Beers:

On January 26, 2017, the Department of Toxic Substances Control (DTSC) received a request from the Friends of the Riverside Airport, LLC, (FRA) July 26, 2016 Soil Sampling and Excavation Work Plan to remove Groundwater Monitoring Wells MW-6R and MW-7R (Attachment 1) that were installed by DTSC in September 2015 at the Riverside Ag Park property located at 7020 Crest Avenue, Riverside, California (Site).

These monitoring wells were sampled by DTSC for four consecutive quarters, starting in fourth quarter 2015. The data indicates that polychlorinated biphenyls (PCBs) have not been detected in groundwater samples collected from these wells. US EPA approved this request on January 27th, 2017 (Attachment 2). DTSC agrees that the groundwater monitoring wells may be abandoned at this time.

If you have any questions or concerns, please do not hesitate to contact me at Peter.Garcia@dtsc.ca.gov.

Sincerely

Peter A. Garcia Branch Chief

Brownfields Restoration and School Evaluation Branch Brownfields and Environmental Restoration Program

Attachment 1 - FRA Well Abandonment Request

Attachment 2 - US EPA Approval of FRA Well Abandonment Request

cc: See next page.

Mr. Robert Beers February 14, 2017 Page 2

CC:

Mr. Gilbert Martinez
Director of Outreach
Senator Richard D. Roth
31st Senate District
State Capitol, 4034
Gilbert.Martinez@sen.ca.gov

Ms. Melanie Ling
Constituent Services Representative
Office of Congressman Mark Takano (CA-41)
3403 Tenth Street, Suite 610
Riverside, California 92501
Melanie Ling@mail.house.gov

Mr. Al Zelinka, Assistant City Manager City of Riverside 3900 Main Street Riverside, California 92522 Azelinka@riversideca.gov

Mr. Moises Lopez
City of Riverside
3900 Main Street
Riverside, California 92522
MLopez@riversideca.gov

Mr. Mark Steuer City of Riverside 3900 Main Street Riverside, California 92522 MSteuer@riversideca.gov

Ms. Sara Ziff, P.E.
Project Manager
Corrective Action Section
U.S. EPA, Region 9
75 Hawthorne Street (LND-4-1)
San Francisco, CA 94105
ziff.sara@epa.gov

Dr. Patrick Wilson
Corrective Action Office
USEPA Region 9
75 Hawthorne Street
San Francisco, CA 94105
Wilson Patrick@epa.gov

Mr. Robert Beers February 14, 2017 Page 3

cc: Mr. Steven S. Armann, Manager Corrective Action Office (LND-4-1) USEPA Region 9 75 Hawthorne Street

San Francisco, CA 94105 armann.steve@epa.gov

Ms. Dot Lofstrom, PG
Division Chief
Brownfields and Environmental Restoration Program
Dot.Lofstrom@dtsc.ca.gov

Ms. Isabella Alasti Attorney Office of Legal Affairs Isabella.Alasti@dtsc.ca.gov

Friends of Riverside Airport, LLC

8175 Limonite Avenue, Suite E Riverside, CA 92509

Sent via email to Maryam. Tasnif-abbasi@dtsc.ca.gov, ziff.sara@epa.gov

Thursday, January 26, 2017

Mrs. Maryam Tasnif-Abbasi State of California Department of Toxic Substances Control 5796 Corporate Avenue Cypress, CA 90630

Re:

Request for approval to remove Groundwater Monitoring Wells MW-6R and MW-7R

Former Agricultural Park - Riverside, CA

Dear Mrs. Tasnif-Abbasi:

We request approval from DTSC and USEPA to remove Groundwater Monitoring Wells MW-6R and MW-7R that were installed by DTSC in September 2015. In accordance with the approved work plan for the Ag Park site, these monitoring wells were to be sampled for four consecutive quarters, starting in fourth quarter 2015.

That work has been completed by DTSC's subconsultant, and laboratory testing results have been submitted to both DTSC and USEPA. Based on the results, we request your authorization to remove/abandon these walls. FRA is in the process of obtaining well abandonment permits from the Riverside County Department of Environmental Health. Please find attached, the well abandonment permit applications for this work for your reference.

Please call either Ross Surrency or myself if you have any questions regarding this request.

If a response is not received before February 15, 2017, FRA plans to proceed with well abandonment activities,

Very Truly Yours:

Robert M. Beers

Friends of Riverside Airport, LLC

G-C

Cc: Sara Ziff, EPA via email

Ross Surrency, TRC via email David Lennon, TRC via email

Phone: (951) 360-2070 Fax: (951) 360-2080



County of Riverside DEPARTMENT OF ENVIRONMENTAL HEALTH

www.rivcoeh.org

WELL PERMIT APPLICATION

☑ 3880 Lemon Street • Suite 200 • Riverside • CA • 92501 – (951) 955-898	0 DETI USE VAL.
☑ 3880 Lemon Street • Suite Zuu • Riverside • CA • 92301 = (937) 900-999 ☑ 47-950 Arabia Street • Suite A • Indio • CA 92201 = (760) 863-7570	
	Expiration
OWNER	EHW No.
Name Friends of Riverside Airport LLC	TYPE OF WORK (check)
Mailing Address 8175 Limonite Ave	☐ New ☐ Reconstruction ☑ Destruction
City Riverside State CA	Describe reconstruction or destruction method on Attachment 1
Zip 92509 Phone No. ()	WELL TYPE (check)
	☐ Agricultural ☐ Individual ☐ Cathodic
E-mail rmbeers777@hotmail.com	Other
SITE ADDRESS 7020 Crest Avenue	Type of rig
City Riverside RCDEH-LOP Site	ANNULAR SEAL
APN	Depth 26 ft.
Township Range Section	Borehole Diam. 10 In.
Wellhead GPS Coordinates (Lat./Lon.):	Conductor Diam. 10.5 In.
33.9605561 / -117.4729640	Annular Thickness in.
Provide Plot Plan & Vicinity Map on Attachment #2	Sealing Material Portland Grout
WELL DRILLER	
Name Cascade	DEPTH OF WELL (feet) Proposed Existing 43.5 '
Phone (909) 946-1605	Diameter of Bore (in.) 10
E-mail_hlopez@cascade-env.com 🗹 N/A	WELL CASING
Riv. Co. Registration No. PI0000137	☐ Steel ☑ PVC ☐ Other
C-57 License No. 422904	From (ft.) To (ft.) Dia. (in.) Wall (Gage)
CONSULTANT	0 43.5 10
Name TRC Solutions	GRAVEL PACK MYes U No
Address 9685 Research drive City Irvine	From 26' to 43.5' ft.
State CA Zip 92618 Phone (949) 727-7324	PERFORATIONS (If applicable)
E-mail RSurrency@trosolutions.com	From <u>28'</u> to <u>43.5'</u> t.
DATE OF WORK	SEALED ZONES (if applicable)
TOTA	From to ft.
Start IBU Complete	
I have read this application and agree to comply with sall laws we quite ting the complete the c	s type of work being performed. Date 1/25/17
Onlier's Signature	
i declare under penalty of perjury under the laws of the State of California	that the information furnished as part of this application is true and correct. It is also and Riverside County Ordinances in connection with the approval of this
application.	1helm
Property Owner's Signature	6Date
,	ION OF PERMIT USE ONLY
Notify the Department 48 hours in advance to make an inspection	Submit to the Department within thirty (30) days after completion of
of the Following operations: O Prior to sealing of the annular space or filling of the conductor	work, a copy of Water Well Oriller's Report (DWR 188)
casing. After installation of the surface protective slab and pumping	NOTE: Properties tocated within an Adjudicated. Basin or within Water District boundaries may be subject to restriction or usage as
equipment. During destruction of wells, prior to pouring the sealing	determined by the Water Master or District agreements.
	Centilities of the sector weren or more of account.
material. Other:	Gelevinsky by the viewer measure of broken agreement

WELL PERMIT APPLICATION PLOT PLAN INSTRUCTIONS

1. The Plot Plan (see Attachment #2) shall show the proposed well location with respect to the following items with a radius of five-hundred feet (500') from the well;

a. Property lines, including ownership.

b. Sewage or waste disposal systems, (including reserved waste disposal expansion areas), or works for carrying or containing sewage or waste.

c. Location of underground storage tank(s).

d. All intermittent or perennial, natural, or artificial bodies of water or watercourses.

e. The approximate drainage pattern of the property.

f. Other wells, including abandoned wells.

NOTE: All abandoned wells on this property must be properly destroyed before a new well permit can be issued.

g. Access road(s) to the well site.

h. Structures.

2. Location of the property on a vicinity map (see Attachment #2)

3. Legal description of property including Assessor's Parcel Map.

 Location and classification by visual inspection of any solid, liquid, or hazardous waste disposal sites to include municipal and individual package sewage treatment plants within two-thousand feet (2000') of the proposed well.

Animal corrals and pens.

6. Other information that has been requested by the Department of Environmental Health to determine if the under-ground waters will be adequately protected.

Space below is to be used to describe reconstruction or destruction method used


The 10.5 inch conductor casing will be overdrilled then removed from the ground. Then, the 2-inch diameter PVC casing will be overdrilled to total depth. The borehole will be backfilled with bentonite grout from total depth up to 2 feet below ground surface. The remaining 2 feet will be backfilled with native soil.


PLOT PLAN

			W. E
OTE: Please see Attachment 1 for information that must be s		The Manual	

SECTION MAP				
NW %	un value socie dann d		NE %	
SW 1/4	jan kan san san.		SE %	

VICINITY MAP







EDUTAVIDES USUAS

County of Riverside DEPARTMENT OF ENVIRONMENTAL HEALTH

www.rivcoeh.org

WELL PERMIT APPLICATION

☑ 3880 Lemon Street • Suite 200 • Riverside • CA • 92501 – (951) 955-898	DEH USE: ONLY Permit No.
☐ 47-950 Arabia Street • Suite A • Indio • CA 92201 – (760) 863-7570	
### #1.2PM VISONS OFFERE DOTTON WORLD OF STEED () A 1.2PM VISONS OFFERE	Expiration
OWNER	EHW No.
Name Friends of Riverside Airport LLC	TYPE OF WORK (check)
Mailing Address 8175 Limonite Ave	New Reconstruction W Destruction Describe reconstruction or destruction method on Attachment 1
City Riverside State CA	
Zlp 92509 Phone No. ()	WELL TYPE (check) Community Monitoring
E-mail rmbeers777@hotmail.com	☐ Agricultural ☐ Individual ☐ Cathodic
SITE ADDRESS 7020 Crest Avenue	Other
City Riverside RCDEH-LOP Site	Type of rig
APN	ANNULAR SEAL
Township Range Section	Depth 17 ft.
Wellhead GPS Coordinates (Lat./Lon.):	Boleficie Diani:
33.9591594 /-1174729807	Conductor Diem. 10.5 In.
Provide Plot Plan & Vicinity Map on Attachment #2	Annular Thicknessin.
WELL DRILLER	Sealing Material Portland Grout
Name Cascade	DEPTH OF WELL (feet)
Phone (909) 946-1605	Proposed Existing 29'
E-mail_hlopez@cascade-env.com 🗹 N/A	Diameter of Bore (in.) 10
Riv. Co. Registration No. P10000137	WELL CASING Steel PVC Dother
C-57 License No. 422904	
CONSULTANT	From (ft.) To (ft.) Dia. (in.) Wall (Gage)
Name TRC Solutions	0 43.5 10 GRAVEL PACK 2 Yes 2 No
Address 9685 Research drive City Irvine	GRAVEL PACK V1 Yes L1 No From <u>17'</u> to <u>29'</u> ft.
State CA zip 92618 Phone (949) 727-7324	
State OA Zip 92010 Phone 949 1721-1324 E-mail RSurrency@trcsolutions.com	PERFORATIONS (if applicable) From 19' to 29' ft.
	SEALED ZONES (if applicable)
DATE OF WORK Complete Complete	From to ft.
Start IBU Complete	
I have read this application and some to commissional broad by our Wingfowsh	but of the last party world
SIFE, ASSCALES, LINE.	a type of work being perionned. Date 1/25/17
Uniter's Signature	
I declare under penalty of perjury under the laws of the State of California	that the Information furnished as part of this application is true and correct. I e-jaw and Riverside County Ordinances in connection with the approval of this
application.	I had been
Property Owner's Signature) Date
,	ON OF PERMIT
□ Approved □ Denied /	USE ONLY
Notify the Department 48 hours in advance to make an inspection of the Following operations: Prior to sealing of the annular space or filling of the conductor	Submit to the Department within thirty (30) days after completion of work, a copy of Water Well Driller's Report (DWR 188)
casing. After installation of the surface protective slab and pumping	NOTE: Properties located within an Adjudicated Basin or within Water District boundaries may be subject to restriction or usage as
equipment.	The state of the state of the contract and the state of t
During destruction of wells, prior to pouring the sealing	determined by the Water Master or District agreements.
During destruction of wells, prior to pouring the sealing material. Other:	determined by the Water Master or District agreements.

WELL PERMIT APPLICATION PLOT PLAN INSTRUCTIONS

 The Plot Plan (see Attachment #2) shall show the proposed well location with respect to the following items with a radius of five-hundred feet (500') from the well;

a. Property lines, including ownership.

b. Sewage or waste disposal systems, (including reserved waste disposal expansion areas), or works for carrying or containing sewage or waste.

c. Location of underground storage tank(s).

d. All intermittent or perennial, natural, or artificial bodies of water or watercourses.

e. The approximate drainage pattern of the property.

f. Other wells, including abandoned wells.

NOTE: All abandoned wells on this property must be properly destroyed before a new well permit can be issued.

g. Access road(s) to the well site.

h. Structures.

2. Location of the property on a vicinity map (see Attachment #2)

3. Legal description of property including Assessor's Parcel Map.

 Location and classification by visual inspection of any solid, liquid, or hazardous waste disposal sites to include municipal and individual package sewage treatment plants within two-thousand feet (2000') of the proposed well.

Animal corrals and pens.

 Other information that has been requested by the Department of Environmental Health to determine if the under-ground waters will be adequately protected.

Space below is to be used to describe reconstruction or destruction method used


The 10.5 inch conductor casing will be overdrilled then removed from the ground. Then, the 2-inch diameter PVC casing will be overdrilled to total depth. The borehole will be backfilled with bentonite grout from total depth up to 2 feet below ground surface. The remaining 2 feet will be backfilled with native soil.


PLOT PLAN

		n 2
		ı

SECTION MAP					
	NW 1%	AND LOOK		N# %	
	SW %	30 aga 3000 3000°		SE %	1000 1000 1000

VICINITY MAP





Tasnif-abbasi, Maryam@DTSC

From:

ZIFF, SARA <ZIFF.SARA@EPA.GOV>

Sent:

Friday, January 27, 2017 12:40 PM

To:

Robert Beers; Tasnif-abbasi, Maryam@DTSC

Cc:

David Lennon; Ross Surrency; Wilson, Patrick; Baylor, Katherine; Armann, Steve

Subject:

RE: Ag Park - Ground Water Well Abandonment Request

Hi Bob and Maryam,

EPA has no issues with the wells at Ag Park being properly abandoned at this time. Please let me know if you have any further questions.

Best regards,

Sara

^^^^^^

Sara Ziff, P.E.
Project Manager
Corrective Action Section
U.S. EPA, Region 9
75 Hawthorne Street (LND-4-1)
San Francisco, CA 94105
(415) 972-3536
ziff.sara@epa.gov

From: Robert Beers [mailto:rmbeers777@hotmail.com]

Sent: Thursday, January 26, 2017 9:39 PM

To: mtasnif@dtsc.ca.gov

Cc: ZIFF, SARA <ZIFF.SARA@EPA.GOV>; David Lennon <dlennon@trcsolutions.com>; Ross Surrency

<rsurrency@trcsolutions.com>

Subject: Ag Park - Ground Water Well Abandonment Request

Maryam:

We are continuing to move forward with the site cleanup of the Ag Park in accordance with the approved work plan.

We need to schedule the removal of the two ground water monitoring wells that were installed in 2015 as a part of the work plan for the site.

Please see attached letter and Well Abandonment Permit documents as a part of our request to remove those two wells.

Please contact me if you have any questions regarding this request.

Thank you.

Bob Beers

Friends of Riverside Airport, LLC